

Please provide the following information, and submit to the NOAA DM Plan Repository.

Reference to Master DM Plan (if applicable)

As stated in Section IV, Requirement 1.3, DM Plans may be hierarchical. If this DM Plan inherits provisions from a higher-level DM Plan already submitted to the Repository, then this more-specific Plan only needs to provide information that differs from what was provided in the Master DM Plan.

URL of higher-level DM Plan (if any) as submitted to DM Plan Repository:

1. General Description of Data to be Managed

1.1. Name of the Data, data collection Project, or data-producing Program:

Nearshore Benthic Habitats of Timor-Leste Derived from WorldView-2 Satellite Imagery

1.2. Summary description of the data:

Benthic habitat classes were derived for nearshore waters around Timor-Leste from WorldView-2 satellite imagery. Habitat classes include different combinations of shallow, mid and deep depths, soft (sand or mud) or hard (rubble, boulders, etc.) substrates, algae or seagrass dominated areas, intertidal areas and rocks. Supervised classifications were performed using several different methods and with imagery at several different stages of processing, with final classification based on the classification method and imagery variant that provided the best overall results for each WorldView-2 image.

1.3. Is this a one-time data collection, or an ongoing series of measurements?

One-time data collection

1.4. Actual or planned temporal coverage of the data:

2010 to 2014

1.5. Actual or planned geographic coverage of the data:

W: 124, E: 127.5, N: -8, S: -10

Timor-Leste

1.6. Type(s) of data:

(e.g., digital numeric data, imagery, photographs, video, audio, database, tabular data, etc.)

Map (digital)

1.7. Data collection method(s):

(e.g., satellite, airplane, unmanned aerial system, radar, weather station, moored buoy, research vessel, autonomous underwater vehicle, animal tagging, manual surveys, enforcement activities, numerical model, etc.)

Instrument: Not applicable

Platform: Not applicable

Physical Collection / Fishing Gear: Not applicable

1.8. If data are from a NOAA Observing System of Record, indicate name of system:**1.8.1. If data are from another observing system, please specify:****2. Point of Contact for this Data Management Plan (author or maintainer)****2.1. Name:**

Michael W Akridge

2.2. Title:

Metadata Contact

2.3. Affiliation or facility:

Pacific Islands Fisheries Science Center

2.4. E-mail address:

michael.akridge@noaa.gov

2.5. Phone number:

(808)725-5483

3. Responsible Party for Data Management

Program Managers, or their designee, shall be responsible for assuring the proper management of the data produced by their Program. Please indicate the responsible party below.

3.1. Name:

Julia Ehses

3.2. Title:

Data Steward

4. Resources

Programs must identify resources within their own budget for managing the data they produce.

4.1. Have resources for management of these data been identified?

Yes

4.2. Approximate percentage of the budget for these data devoted to data management (specify percentage or "unknown"):

Unknown

5. Data Lineage and Quality

NOAA has issued Information Quality Guidelines for ensuring and maximizing the quality, objectivity, utility, and integrity of information which it disseminates.

5.1. Processing workflow of the data from collection or acquisition to making it publicly accessible

(describe or provide URL of description):

Lineage Statement:

Benthic habitat classes were derived for nearshore waters around Timor-Leste from WorldView-2 satellite imagery. Habitat classes include different combinations of shallow, mid and deep depths, soft (sand or mud) or hard (rubble, boulders, etc.) substrates, algae or seagrass dominated areas, intertidal areas and rocks. Supervised classifications were performed using several different methods and with imagery at several different stages of processing, with final classification based on the classification method and imagery variant that provided the best overall results for each WorldView-2 image.

Process Steps:

- Satellite imagery was collected by the WorldView-2 commercial Earth observation satellite owned by DigitalGlobe. WorldView-2 provides panchromatic imagery of .46 meter resolution, and eight-band multispectral imagery with 1.84 meter (6 foot 0 inch) resolution.

- Image pre-processing steps are described in the NOAA Technical Memorandum "Depth Derivation Using Multispectral WorldView-2 Satellite Imagery". Pre-processing of all WorldView-2 satellite images was performed using the same methods, to produce a deglinted image, radiance and depth invariant data layers. (Citation: Depth Derivation Using Multispectral WorldView-2 Satellite Imagery, NOAA Technical Memorandum NMFS-PIFSC-46)

- Each image data layer was loaded into ENVI and 13 different regions of interest (ROIs) were created. The ROIs are classified as followed: 1) hard; shallow, 2) soft/sand; shallow, 3) hard; mid depth, 4) soft/sand; mid depth, 5) hard; deep, 6) soft/sand; deep, 7) hard; seagrass, 8) deep sea, 9) Intertidal, 10) MANGROVES??? 11) Rocks, 12) Algae; shallow, and 13) Lagoon. The Image classification was performed separately on the multi-band image using three different methods: 1) The Mahalanobis Distance Classification, which is a direction sensitive distance classifier. J.A.Richards, 1999, Remote Sensing Digital Image Analysis, Springer-Verlag, Berlin, p. 240. 2) The Maximum Likelihood Distance, which assumes that the statistics for each class in each band are normally distributed. 3) Minimum Distance, which uses the mean vectors for each class and calculates the distance from each unknown pixel the the mean vector for each class. More information about the Mahalanobis Distance, Maximum Likelihood Distance and the Minimum Distance algorithm can be found in the ENVI documentation. The results of each of the three classifications were compiled into an ENVI standard image. The outputs were exported in a geotiff format. (Citation: ENVI)

- Geotiffs were loaded in ArcGIS and all land and NoData values were removed using the Arc toolbox "extract by mask" tool. The outputs were the same eleven classes as the ROI's. Deep sea areas were manually digitized from classified images as a shapefile with reference to the satellite image as needed, then converted to raster files and mosaicked back onto classified images. Shallow lagoons were also manually digitized, converted to raster files , mosaicked back onto the classified imagery. This is required because the habitat derivation method

does not work well on very shallow waters in Timor-Leste as these areas often have high turbidity levels. (Citation: ArcGIS Desktop, ArcMap Home page)

- The complete methodology to classify benthic features using WorldView-2 satellite imagery. (Citation: A Methodology for Classification of Benthic Features using WorldView-2 Imagery. Watkins, R. Nov. 2015)

5.1.1. If data at different stages of the workflow, or products derived from these data, are subject to a separate data management plan, provide reference to other plan:

5.2. Quality control procedures employed (describe or provide URL of description):

An experienced outside contractor was hired to review and suggest modifications to improve the the initial methods for deriving benthic habitat data from WorldView-2 satellite imagery.

Three different modifications for both types of processing were performed on each image. A visual comparison of the 6 resulting geotiffs was made to select the one that best reflected the distribution of benthic habitats for each WorldView-2 satellite image.

6. Data Documentation

The EDMC Data Documentation Procedural Directive requires that NOAA data be well documented, specifies the use of ISO 19115 and related standards for documentation of new data, and provides links to resources and tools for metadata creation and validation.

6.1. Does metadata comply with EDMC Data Documentation directive?

Yes

6.1.1. If metadata are non-existent or non-compliant, please explain:

6.2. Name of organization or facility providing metadata hosting:

NMFS Office of Science and Technology

6.2.1. If service is needed for metadata hosting, please indicate:

6.3. URL of metadata folder or data catalog, if known:

<https://inport.nmfs.noaa.gov/inport/item/29128>

6.4. Process for producing and maintaining metadata

(describe or provide URL of description):

Metadata produced and maintained in accordance with the NMFS Data Documentation Procedural Directive: <https://inport.nmfs.noaa.gov/inport/downloads/data-documentation-procedural-directive.pdf>

7. Data Access

NAO 212-15 states that access to environmental data may only be restricted when distribution is

explicitly limited by law, regulation, policy (such as those applicable to personally identifiable information or protected critical infrastructure information or proprietary trade information) or by security requirements. The EDMC Data Access Procedural Directive contains specific guidance, recommends the use of open-standard, interoperable, non-proprietary web services, provides information about resources and tools to enable data access, and includes a Waiver to be submitted to justify any approach other than full, unrestricted public access.

7.1. Do these data comply with the Data Access directive?

Yes

7.1.1. If the data are not to be made available to the public at all, or with limitations, has a Waiver (Appendix A of Data Access directive) been filed?

7.1.2. If there are limitations to public data access, describe how data are protected from unauthorized access or disclosure:

7.2. Name of organization of facility providing data access:

Pacific Islands Fisheries Science Center

7.2.1. If data hosting service is needed, please indicate:

7.2.2. URL of data access service, if known:

http://www.soest.hawaii.edu/pibhmc/INSERT_LINK

ftp://ftp.soest.hawaii.edu/pibhmc/website/webdocs/documentation/Classification_of_Benthic_Feature

7.3. Data access methods or services offered:

Data can be accessed online via the NOAA National Centers for Environmental Information (NCEI) Ocean Archive, accession # .

ADD ACCESSION ONCE ASSIGNED

7.4. Approximate delay between data collection and dissemination:

Unknown

7.4.1. If delay is longer than latency of automated processing, indicate under what authority data access is delayed:

8. Data Preservation and Protection

The NOAA Procedure for Scientific Records Appraisal and Archive Approval describes how to identify, appraise and decide what scientific records are to be preserved in a NOAA archive.

8.1. Actual or planned long-term data archive location:

(Specify NCEI-MD, NCEI-CO, NCEI-NC, NCEI-MS, World Data Center (WDC) facility, Other, To Be Determined, Unable to Archive, or No Archiving Intended)

NCEI-MD

8.1.1. If World Data Center or Other, specify:

8.1.2. If To Be Determined, Unable to Archive or No Archiving Intended, explain:

8.2. Data storage facility prior to being sent to an archive facility (if any):

Pacific Islands Fisheries Science Center - Honolulu, HI

8.3. Approximate delay between data collection and submission to an archive facility:

Unknown

8.4. How will the data be protected from accidental or malicious modification or deletion prior to receipt by the archive?

Discuss data back-up, disaster recovery/contingency planning, and off-site data storage relevant to the data collection

NOAA IRC and NOAA Fisheries ITS resources and assets.

9. Additional Line Office or Staff Office Questions

Line and Staff Offices may extend this template by inserting additional questions in this section.